

Appl. No. 10/052,966  
 Atty. Docket No. G-271ML (CP-1230)  
 Amdt. dated July 11, 2007  
 Reply to Office Action of April 11, 2007  
 Customer No. 27752


RECEIVED  
 CENTRAL FAX CENTER

JUL 11 2007

### LISTING OF THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1 (Currently Amended) A compound of formula (1):



wherein  $R_1$  is selected from the group consisting of a hydrogen atom,  $C_1$  to  $C_5$  alkyl,  $C_1$  to  $C_5$  mono or dihydroxyalkyl, and phenyl or benzyl optionally substituted with a hydroxyl, amino or  $C_1$  to  $C_3$  alkoxy group, and  $R_2$  is selected from the group consisting of  $C_1$  to  $C_5$  mono or dihydroxyalkyl, and phenyl or benzyl optionally substituted with a hydroxyl or amino group, or  $R_1$  and  $R_2$  together with the nitrogen atom to which they are attached form a  $C_2$  to  $C_6$  saturated or unsaturated ring containing in the ring one or more additional hetero atoms selected from O, S and N atoms.


Claim 2 (Currently Amended) A compound of Claim 1 wherein  $R_1$  is selected from the group consisting of a hydrogen atom, a  $C_1$  to  $C_3$  alkyl group, and phenyl or benzyl optionally substituted with an alkoxy group, and  $R_2$  is selected from the group consisting of phenyl and benzyl, or  $R_1$  and  $R_2$  together with the nitrogen atom to which they are bound form a piperazine, imidazole, or morpholine ring.

Claim 3 (Original) A compound of Claim 2 wherein  $R_1$  is hydrogen and  $R_2$  is phenyl.


Claims 4-6 (Canceled)

Appl. No. 10/052,966  
Atty. Docket No. G-271ML (CP-1230)  
Amdt. dated July 11, 2007  
Reply to Office Action of April 11, 2007  
Customer No. 27752


Claim 7 (Previously Presented) A process for the preparation of a compound of formula (1) of Claim 1 comprising (a) reacting 2,6-dimethoxy-benzaldehyde of formula (2)



with a reagent of the formula  $R_1R_2NH$  and a reductive amination reducing agent to produce a compound of formula (3)



and (b) deprotecting the compound of formula (3) by reacting with a deprotection agent producing a compound of formula (1):



wherein  $R_1$  and  $R_2$  are as defined in Claim 1.

Appl. No. 10/052,966  
Atty. Docket No. G-271ML (CP-1230)  
Amdt. dated July 11, 2007  
Reply to Office Action of April 11, 2007  
Customer No. 27752

Claim 8 (Currently Amended) A process according to Claim 7 wherein  $R_1$  is selected from the group consisting of a hydrogen atom, a  $C_1$  to  $C_3$  alkyl group, and phenyl or benzyl optionally substituted with an alkoxy group, and  $R_2$  is selected from the group consisting of a phenyl and benzyl, ~~or  $R_1$  and  $R_2$  together with the nitrogen atom to which they are bound form a piperazine, or imidazole, or morpholine ring.~~

Claim 9 (Original) A process according to Claim 7 wherein  $R_1$  is hydrogen and  $R_2$  is phenyl.

Claims 10-24 (Canceled)

Claim 25 (Currently Amended) A compound selected from the group consisting of:

2-phenylaminomethyl-benzene-1,3-diol;  
~~2-piperidin-1-yl-methyl-benzene-1,3-diol;~~  
2-(pyridin-3-yl-aminomethyl)-benzene-1,3-diol;  
2-dimethylaminomethyl-benzene-1,3-diol;  
2-dihydroxyethylaminomethyl-benzene-1,3-diol;  
2-hydroxymethylaminomethyl-benzene-1,3-diol;  
~~2-imidazolin-1-yl-methyl-benzene-1,3-diol;~~  
~~2-morpholin-4-yl-methyl-benzene-1,3-diol;~~  
2-benzylaminomethyl-benzene-1,3-diol;  
2-aminomethyl-benzene-1,3-diol; and  
2-(2-methoxy)phenylaminomethyl-benzene-1,3-diol.